

Native Pollinator Seed Mixed for Eastern Great Lakes Region

- Regionally adapted open pollinated native wildflowers and grasses
- Provide nectar and food sources for numerous pollinators and larva
- Appropriate for: Indiana, Ohio, Western Pennsylvania, Western New York

Available from Ohio Prairie Nursery

Hiram, Ohio

www.ohioprairienursery.com

info@ohioprairienursery.com – Ph 866-569-3380

Botanical Name	Common Name	Percent of Mix by Weight	Percent of Mix by Seed Count
<i>Schizachyrium scoparium</i>	Little Bluestem	24.38%	21.4%
<i>Elymus canadensis</i>	Nodding Wild Rye	20.06%	7.3%
<i>Bouteloua curtipendula</i>	Side-oats Grama	13.25%	7.8%
<i>Echinacea purpurea</i>	Purple Coneflower	4.75%	2.3%
<i>Asclepias syriaca</i>	Common Milkweed	4.75%	1.1%
<i>Orbexilum pedunculatum</i>	Sampson's Snakeroot	3.50%	1.0%
<i>Tradescantia ohiensis</i>	Ohio Spiderwort	3.38%	2.0%
<i>Zizia aurea</i>	Golden Alexanders	2.44%	2.0%
<i>Gaillardia pulchella</i>	Indian Blanket	2.44%	2.1%
<i>Coreopsis lanceolata</i>	Lanceleaf Coreopsis	1.88%	2.7%
<i>Dalea purpurea</i>	Purple Prairie Clover	1.62%	2.5%
<i>Liatris spicata</i>	Dense Blazing Star	1.62%	1.4%
<i>Monarda citriodora</i>	Lemon Mint	1.62%	5.5%
<i>Monarda fistulosa</i>	Wild Bergamot	1.50%	7.9%
<i>Coreopsis tripteris</i>	Tall Coreopsis	1.37%	1.4%
<i>Asclepias tuberosa</i>	Butterfly Weed	1.37%	0.4%
<i>Silphium terebinthinaceum</i>	Prairie Dock	1.37%	0.1%
<i>Vernonia altissima</i>	Tall Ironweed	1.37%	2.4%
<i>Dalea candida</i>	White Prairie Clover	1.25%	2.5%
<i>Baptisia alba</i>	White Wild Indigo	1.25%	0.2%
<i>Ratibida pinnata</i>	Grey-Headed Coneflower	0.94%	2.1%
<i>Penstemon digitalis</i>	Foxglove Beardtongue	0.94%	8.9%
<i>Rudbeckia hirta</i>	Black-eyed Susan	0.94%	6.9%
<i>Solidago rigida</i>	Stiff Goldenrod	0.69%	2.3%
<i>Aster laevis</i>	Smooth Aster	0.69%	2.4%
<i>Aster novae-angliae</i>	New England Aster	0.69%	3.5%

- Total mix is 63.5% native wildflowers (Forbs) and 36.5% native prairie grasses
- Exact composition may vary based on availability, mix integrity will not be compromised
- Recommended application rate is 10 PLS Lb per acre (PLS = pure live seed)